

AMENDMENTS TO THE CLAIMS:

Kindly amend claim 1, as shown below.

This listing of claims will replace all prior versions and listings of claims in the
Application:

Claim 1 (currently amended): A system for controlling user interface features of a web
application, the system comprising:

a collection of user interface control elements, each control element comprising:

a namespace specifying a predefined control element;

common attributes for defining graphical features of the control element and for
associating the control element with the internal state of the core control element;

other attributes for defining attributes that affect the intrinsic behavior of the
control; and

a skin template reference attribute for referencing a skin template;

a collection of skin templates comprising extensible markup language based markup
contained as children of a container element; and

a collection of predefined control element instructions for performing actions associated
with the control elements, each script associated with a control element through the namespace.

Claim 2 (previously presented): The system as claimed in claim 1, further comprising an
initialization function for directing the processing one or more control elements in a document
object model, the initialization function comprising instructions for traversing each node in a
document object model and for searching and calling functions associated with control
elements having names following the predetermined naming convention.

HAYES SOLOWAY P.C.
3450 E. SUNRISE DRIVE,
SUITE 140
TUCSON, AZ 85718
TEL. 520.882.7623
FAX. 520.882.7643

175 CANAL STREET
MANCHESTER, NH 03101
TEL. 603.668.1400
FAX. 603.668.8567

Claim 3 (original): The system as claimed in claim 1, wherein the namespace follows a predetermined naming convention comprising having a constant prefix to the name of the element.

Claim 4 (original): The system as claimed in claim 1, wherein the skin template reference attribute comprises a reference to the location of a skin template file.

Claim 5 (original): The system as claimed in claim 1, wherein the control element is associated with an extensible markup language based element.

Claim 6 (original): The system as claimed in claim 5, wherein the control element is a parent of an extensible markup language based element.

Claim 7 (original): The system as claimed in claim 5, wherein the control element is a child of an extensible markup language based element.

Claim 8 (original): The system as claimed in claim 2, further comprising:

a collection of control attributes for adding to existing regular extensible markup language based elements in a document object model, the control attributes following the predetermined naming convention; and

a collection of control attribute instructions for performing actions associated with the collection of control attributes, each instruction associated with a control attribute.

Claim 9 (original): The system as claimed in claim 8, wherein the initialization function contains instructions for traversing each node in the document object model and for searching and calling functions associated with control elements and control attributes having names following the predetermined naming convention.

Claim 10 (original): The system as claimed in claim 1, wherein the collection of control elements comprises a markup language.

HAYES SOLOWAY P.C.
3450 E. SUNRISE DRIVE,
SUITE 140
TUCSON, AZ 85718
TEL. 520.882.7623
FAX. 520.882.7643

175 CANAL STREET
MANCHESTER, NH 03101
TEL. 603.668.1400
FAX. 603.668.8567

Claim 11 (original): The system as claimed in claim 1, wherein the common attributes comprise state attributes for specifying the identification of a <state> child element of the control element.

Claim 12 (original): The system as claimed in claim 1, wherein the common attributes comprise one or more of:

an identification attribute for referencing the control element;

a label attribute for associating text control;

an x attribute for specifying the x-coordinate of the left edge of the control element;

a y attribute for specifying the y-coordinate of the top edge of the control element;

a width attribute for specifies the width of the control element;

a height attribute for specifies the height of the control element;

a preserve aspect ratio attribute for preserving the aspect ratio of the control element

when either the width attribute or height attribute is known;

a labelX attribute for specifying the x-coordinate of the left edge of the label, relative to the 'y' attribute;

a labelY attribute for specifying the y-coordinate of the bottom edge of the label, relative to the 'x' attribute;

a disabled attribute for specifying whether the control element is disabled and cannot be used;

a state hover attribute for specifying the identification of a <state> child element of the control element, the state hover attribute used to override the appearance of a hover state as defined in a skin of the control element;

a state focus attribute for specifying the identification of a <state> child element of the control element, the state focus attribute used to override the appearance of a focus state as defined in a skin of the control element;

a state up attribute for specifying the identification of a <state> child element of the control element, the state up attribute used to override the appearance of an up state as defined in a skin of the control element;

a state down attribute for specifying the identification of a <state> child element of the control element, the state down attribute used to override the appearance of a down state as defined in a skin of the control element;

a state hit attribute for specifying the identification of a <state> child element of the control element, the state hit attribute used to override the appearance of a hit state as defined in a skin of the control element;

a state disabled up attribute for specifying the identification of a <state> child element of the control element, the state disabled up attribute used to override the appearance of a disabled up state as defined in the skin of the control element; and

a state disabled down attribute for specifying the identification of a <state> child element of the control element, the state disabled down attribute used to override the appearance of a disabled down state as defined in a skin of the control element.

Claim 13 (original): The system as claimed in claim 12, wherein the set of control elements comprises one or more of:

a dsvg:button control element for defining a control that is clicked to trigger an action, the dsvg:button control element comprising:

a namespace following the predetermined naming convention;

the common attributes;

other attributes comprising:

a toggle attribute for specifying whether the button is a toggle or a sticky button;

a group attribute for specifying the name of a group to which the button control element belongs; and

a checked attribute for specifying whether the button control element is down/checked or up/unchecked;

a skin template reference attribute for specifying the location of a control element skin template, the skin template reference settable to a uniform resource index; and

a customizable skin template comprising scalable vector graphics markup contained as children of a container element;

a dsvg:comboBox control element for defining a control that is clicked to trigger an action, the dsvg:comboBox control element comprising:

a namespace following the predetermined naming convention;

the common attributes;

other attributes comprising:

a dropdown attribute for specifying whether the comboBox control element has a dropdown list;

an editable attribute for specifying whether the comboBox control element is editable;

a value attribute for specifying the value of the label attribute of currently selected item;

a name attribute for specifying the value of a name attribute of a currently selected item; and

a selected identification attribute for specifying the value of the
identification attribute of a currently selected item;

a skin template reference attribute for specifying the location of a control
element skin template, the skin template reference settable to a uniform resource index; and

a customizable skin template comprising scalable vector graphics markup
contained as children of a container element;

a dsvg:listBox control element for defining a control that is clicked to trigger an action,
the dsvg:listBox control element comprising:

a namespace following the predetermined naming convention;

the common attributes;

other attributes comprising:

a multi select attribute for specifying whether more than one item can be
selected;

an editable attribute for specifying whether the listBox control element is
editable;

a value attribute for specifying the value of the label attribute of
currently selected item;

a name attribute for specifying the value of a name attribute of a
currently selected item; and

a selected identification attribute for specifying the value of the
identification attribute of a currently selected item;

a skin template reference attribute for specifying the location of a control
element skin template, the skin template reference settable to a uniform resource index; and

a customizable skin template comprising scalable vector graphics markup contained as children of a container element;

a dsvg:ListView control element for defining a control that is clicked to trigger an action, the dsvg:ListView control element comprising:

a namespace following the predetermined naming convention;

the common attributes;

other attributes comprising:

a multi select attribute for specifying whether more than one item can be selected;

an editable attribute for specifying whether the comboBox control element is editable;

a display attribute for specifying a semicolon-delimited list of the names of the attributes in all of the <item> children of a control element;

an anything attribute for specifying an attribute name in which to store data; and

a selected identification attribute for specifying the value of the identification attribute of a currently selected item;

a skin template reference attribute for specifying the location of a control element skin template, the skin template reference settable to a uniform resource index; and

a customizable skin template comprising scalable vector graphics markup contained as children of a container element;

a dsvg:ContextMenu control element for defining a control that is clicked to trigger an action, the dsvg:ContextMenu control element comprising:

a namespace following the predetermined naming convention;

the common attributes;

other attributes comprising:

an event source attribute for specifying the identification of an element that triggered the contextMenu control element to appear;

a value attribute for specifying the value of the label attribute of currently selected item;

a name attribute for specifying the value of a name attribute of a currently selected item; and

a selected identification attribute for specifying the value of the identification attribute of a currently selected item;

a skin template reference attribute for specifying the location of a control element skin template, the skin template reference settable to a uniform resource index; and

a customizable skin template comprising scalable vector graphics markup contained as children of a container element;

a dsvg:item control element for defining a control that is clicked to trigger an action, the dsvg:item control element comprising:

a namespace following the predetermined naming convention;

the common attributes;

other attributes comprising:

an access key attribute for specifying a shortcut key which, when pressed, selects this item; and

an anything attribute for specifying an attribute name in which to store data;

a skin template reference attribute for specifying the location of a control element skin template, the skin template reference settable to a uniform resource index; and

a customizable skin template comprising scalable vector graphics markup contained as children of a container element;

a dsvg:textbox control element for defining a control that is clicked to trigger an action, the dsvg:textbox control element comprising:

a namespace following the predetermined naming convention;

the common attributes;

other attributes comprising:

a value attribute for specifies default text within the textbox control element;

a num lines attribute for specifying a number of lines allowed in the textbox control element;

a max length attribute for specifying a maximum number of characters allowed in the textbox control element;

a wrap attribute for specifying whether to auto-wrap text;

a read only attribute for specifying if the textbox control element is non-editable;

a secret attribute for specifies whether text is secret;

a data type attribute for specifying a type of data that allowed to be entered;

a mask attribute for specifies a pattern that allows extra characters to be inserted into data as it is entered and for only allowing specific characters in specific locations;

and

a case attribute for specifying the case of data entered into the textbox control element;

a skin template reference attribute for specifying the location of a control element skin template, the skin template reference settable to a uniform resource index; and

a customizable skin template comprising scalable vector graphics markup contained as children of a container element;

a dsvg:slider control element for defining a control that is clicked to trigger an action, the dsvg:slider control element comprising:

a namespace following the predetermined naming convention;

the common attributes;

other attributes comprising:

a min attribute for specifying a minimum value of the slider control element;

a max attribute for specifying a maximum value of the slider control element;

a min position attribute for specifies a minimum allowed value of a thumb;

a max position attribute for specifies a maximum allowed value of a thumb;

a value attribute for specifying an initial value of the slider control element;

an increment attribute for specifying allowed values that the slider control element can create;

a page increment attribute for specifying an amount that a thumb moves;

an orientation attribute for specifying a rotation angle of the slider
control attribute;

a ticks major attribute for specifying an interval at which major tick
marks are displayed; and

a ticks minor attribute for specifying an interval at which minor tick
marks are displayed;

a skin template reference attribute for specifying the location of a control
element skin template, the skin template reference settable to a uniform resource index; and

a customizable skin template comprising scalable vector graphics markup
contained as children of a container element;

a dsvg:scrollbar control element for defining a control that is clicked to trigger an
action, the dsvg:scrollbar control element comprising:

a namespace following the predetermined naming convention;

the common attributes;

other attributes comprising a bars attribute for specifies the appearance of a
horizontal scrollbar or a vertical scrollbar;

a skin template reference attribute for specifying the location of a control
element skin template, the skin template reference settable to a uniform resource index; and

a customizable skin template comprising scalable vector graphics markup
contained as children of a container element;

a dsvg:spin control element for defining a control that is clicked to trigger an action, the
dsvg:spin control element comprising:

a namespace following the predetermined naming convention;

the common attributes;

other attributes comprising:

a min attribute for specifying a minimum value of the spin control element;

a max attribute for specifying a maximum value of the spin control element;

a value attribute for specifying an initial value of the spin control element; and

an increment attribute for specifying allowed values that the spin control element can create;

a skin template reference attribute for specifying the location of a control element skin template, the skin template reference settable to a uniform resource index; and

a customizable skin template comprising scalable vector graphics markup contained as children of a container element.

Claim 14 (original): A system for controlling user interface features of a web application, the system comprising:

a collection of control element instructions for performing actions associated with the control elements, each instruction associated with a control element; and

an initialization function for directing the processing of one or more control elements in a document object model.

Claim 15 (original): The system as claimed in claim 14, further comprising a collection of skin templates comprising extensible markup language based markup contained as children of a container element.

HAYES SOLOWAY P.C.
3450 E. SUNRISE DRIVE,
SUITE 140
TUCSON, AZ 85718
TEL. 520.882.7623
FAX. 520.882.7643

175 CANAL STREET
MANCHESTER, NH 03101
TEL. 603.668.1400
FAX. 603.668.8567

Claim 16 (original): A method of controlling user interface features of a web application, the method comprising the steps of:

searching for a designated user interface control element in a document object model;
and
calling a script associated with the designated control element.

Claim 17 (original): The method as claimed in claim 16, wherein the step of searching includes the steps of:

traversing each node in the document object model; and
determining whether an element has a name which follows a designated naming convention.

Claim 18 (previously presented): The method as claimed in claim 16, wherein the step of calling a script includes the steps of:

dynamically generating a function name associated with the designated element;
passing an object associated with the designated element as a parameter of a function stored in memory having the generated function name;
retrieving the attributes of the object; and
performing the function.

Claim 19 (previously presented): The method as claimed in claim 18, wherein the step of dynamically generating includes the steps of:

determining if the name of the designated element contains a designated prefix;
generating the function name comprising the name of the designated element;
assigning the object associated with the designated element as the parameter of the function; and

assigning predetermined instructions of the designated element as steps for the function to perform.

Claim 20 (original): The method as claimed in claim 16, further comprising the steps of:
searching for a designated attribute in an element in a document object model; and
calling a script associated with the designated attribute.

Claim 21 (original): The method as claimed in claim 20, wherein the step of searching for a designated attribute comprises the steps of:

searching attributes of an element in a document object model;
determining whether an element attribute has a name which follows a designated naming convention.

Claim 22 (original): The method as claimed in claim 21, wherein the step of calling a script includes the steps of:

determining if the name of the designated attribute contains a designated prefix;
generating a function name comprising of the name of the designated attribute;
assigning an object associated with the designated attribute as the parameter of the function name ; and
assigning predetermined instructions of the designated attribute as steps for a function having the function name to perform.

Claim 23 (original): The method as claimed in claim 20, wherein the step of calling a script includes the steps of:

dynamically generating a function name associated with the designated attribute;
passing an object associated with the designated attribute as a parameter of the generated function name;
receiving the attributes of the object; and

performing a function stored in memory having the generated function name.

Claim 24 (original): The method as claimed in claim 23, wherein the step of dynamically generating comprises the steps of:

determining if the name of the designated attribute contains a designated prefix;

generating a function name comprising of the name of the designated attribute;

assigning an object associated with the designated attribute as the parameter of the function; and

assigning predetermined instructions of the designated attribute as steps for the function to perform.

Claim 25 (original): A method of controlling user interface features of a web application, the method comprising the steps of:

adding a behavior element as a child of a user interface control element;

receiving an event which is equal to an event attribute setting in the behavior element;
and

calling a script associated with the behavior element.

Claim 26 (previously presented): A method of creating a customizable user interface control element having expected behaviors, the method comprising the steps of:

categorizing user interface controls into fundamental core controls;

determining variations of a core controls;

determining common attributes of the core control;

determining fundamental states for the core control;

determining how to allow for absolute positioning of objects the core control;

determining how to allow for absolute customization of appearance of the core control;

assigning a reference link to the core control;

determining templates for skins to allow for the absolute customization of appearance of
the core control;

determining how to associate behaviors to the core control; and

creating a core control element.

HAYES SOLOWAY P.C.
3450 E. SUNRISE DRIVE,
SUITE 140
TUCSON, AZ 85718
TEL. 520.882.7623
FAX. 520.882.7643

175 CANAL STREET
MANCHESTER, NH 03101
TEL. 603.668.1400
FAX. 603.668.8567